




HUMITAT-STOP

**DOES MOISTURE CLIMB UP THE WALLS?
IS PAINT PEELING AWAY FROM WALLS?
HAVE YOUR WALLS CHIPPED PARTS?**

**THEN YOU HAVE
MOISTURE BY CAPILLARITY**



WE REMOVE THE ORIGIN OF MOISTURE BY CAPILLARITY



**New Electro-Physic wireless solution that removes moisture by capillarity in a definitive,
quick and radically cheap way.**



FEEL HAPPY AGAIN AT HOME!

THE CAUSE

Water climbs up walls and floors by capillarity.



Water dissolves salts and decomposes walls and floors.



Internal and external damages.

**OTHER EXISTING SOLUTIONS ARE INEFFICIENT
BECAUSE DO NOT FACE THE ORIGIN OF MOISTURE**



Inefficient solutions:

1 – Marble plates, wood, plasterboard, ceramics, aeration and waterproofing chambers.

- These plates hide moisture. They do not remove it.
- Water climbs up these plates.
- Moisture appears over the plates.
- Suitable environment for the appearance of mold which is harmful to health.

2 – Injection of waterproofing gels in the wall at the height of the plinth and aerators inserted into the walls.



- Aesthetic and structural damage.
- Inefficient in old buildings.
- Not suitable for thin walls.
- Moisture that climbed up the walls cannot be removed.
- It does NOT solve the global problem of the building and only partially the walls injected.
- Partial and expensive solution.

PREVIOUS SOLUTIONS COST MORE THAN 10.000€ FOR 100 m²

3 – Wireless Electro-osmosis and magnetic systems.




- Radiofrequency electromagnetic waves are transmitted Foto sistema magnético terrestre with low penetration into walls.
- Very slow to dry the walls, (more than 2 years needed).

WIRELESS ELECTRO-PHYSIC SYSTEM

**The most effective, quick,
cheap and safe solution.**


PHYSICAL PRINCIPLE OF OUR SYSTEM

Water climbs up by construction materials pores because negative pole of water molecule is oriented upwards.



EI HS-221

Avoids that negative pole of water molecule is oriented upwards and takes benefit of gravity force to send water below the soil.



ADVANTAGES OF WIRELESS ELECTRO-PHYSIC SYSTEM

1 – Effective and quick:

- It attacks the origin of moisture by capillarity.
- It prevents diseases originated by moisture such as asthma, rheumatism and respiratory allergies.
- Reduction of an average of 60% of moisture in only 4 months.

2 – Easy and rapid installation:

- It can be installed just like hanging a picture on the wall.
- Immediate delivery in 24h by International Carrier.

3 – Low cost:

- The cost is 80% lower than conventional solutions.
- Low consumption: Although this equipment should be connected continuously, its consumption is only 0,7 W; in other words, it consumes in one year less than a TV set in one day.
- Heating cost is reduced by 30% without moisture in the walls.
- Property value is increased and maintenance costs are reduced when moisture is removed from walls.

4 – Safe:

- Approved by ICNIRP as harmless to the health of people, animals and plants.
- Device emissions are lower than typical emissions in households such as washing machines, refrigerators, induction cookers, microwave, drying machines, ...
- CE certificate concerning electromagnetic compatibility.
- No interference with other electric equipment.
No interference with radio, TV, alarms, pacemakers, ...

5 – Global:

- Just one HS-221 protects all walls of a building.
- Suitable for basements and ground floors.
- Wide range of coverage, from 50m² to 2500m² considering one HS-221.

The most effective, quick, cheap, safe and global solution .

Interviewed in newspapers: *Expansión, La Vanguardia, Cinco Días y ABC*. Also, see link to the interview in Intereconomía TV channel in our website.

GRUPO HORO

Entrevista **JUAN A. VINYES** DOCTOR EN CIENCIAS FÍSICAS

“La solución definitiva para las humedades que ascienden por las paredes y suelos”



En el año 2010, el copropietario de Humitat-Stop y Doctor en Ciencias Físicas Juan A. Vinyes creó el sistema HS-221, con el que se eliminan las humedades por capilaridad de cualquier edificación a través de una serie de ondas electromagnéticas que, además, son completamente inocuas para las personas, los animales y las plantas.

¿Cuál es el principio físico de su sistema?

Para que las humedades por capilaridad asciendan por los poros de los materiales de construcción, todos los polos negativos de las moléculas de agua deben orientarse hacia arriba.

“La inversión en el HS-221 es muy inferior a la de cualquier otro sistema existente, y se amortiza en menos de un año”

Este equipo evita esta conjunción y rechaza las moléculas de agua por debajo de los cimientos.



¿Qué ventajas aporta el sistema HS-221 con respecto a otros métodos?

Las ventajas de este sistema electrofísico son:

- No necesita obras y puede instalarlo cualquier persona haciendo solo dos agujeros de 6 mm., colgándolo como un cuadro a la pared y conectando el alimentador a una toma de corriente o panel solar.
- Evita las enfermedades causadas por las humedades, como son alergias, reuma y asma.
- Disminuye el consumo de calefacción en más de un 30%.
- Reduce los gastos de mantenimiento continuado, y evita la depreciación del valor de su vivienda.
- Consume en un año menos que un televisor en un día.
- Garantía de 15 años, consiguiendo normalmente reducir la humedad en la pared en un 70% en 9 meses, que es la mitad de tiempo que necesitan los otros sistemas electrónicos.
- No esconde la humedad, la elimina.
- Aprobación CE en Europa y FCC en USA.

¿Está demostrado que este sistema de ondas es inocuo para las personas, los animales y las plantas?

Estamos certificados por el Instituto

Internacional ICNIRP conforme no es dañino para la salud de personas, animales y plantas, ya que trabaja a bajas frecuencias como las de un altavoz, pero sin emitir sonido.

¿Resulta muy cara la inversión necesaria para acabar con la humedad de una vivienda a través del sistema HS-221?

La inversión es muy inferior a la de cualquier otro sistema existente, y usted la amortiza en menos de un año, siendo el coste de un equipo para cliente final a partir de los 1.878€ + IVA. Para saber más detalles, pueden ver nuestra web humitat-stop.com o nuestro blog humitat-stop.blogspot.com.

“La instalación de nuestro sistema antihumedad HS-221 es tan sencilla como colgar un cuadro”

¿Cómo es la gama de productos que ofrece Humitat-Stop al mercado?

Humitat-Stop tiene la gama más amplia del mercado, y cubre desde un pequeño sótano, una planta baja, un comercio o una planta industrial hasta una catedral, siendo la gama de diámetros del círculo que cubre su protección de 12m, 16m, 20m, 25m, 30m, 45m o 60m.

T.93 650 04 68
M.699 92 98 32
www.humitat-stop.com
info@humitat-stop.com

BEFORE



AFTER 9 months.
Maintained without painting for 5 years.



CERTIFICATES AND DOCUMENTS
CAN BE DOWNLOADED IN OUR WEBSITE
www.humitat-stop.com

TECHNICAL CHARACTERISTICS

Model	Scope m	Dimensions cm	kg
HS-221p	4	22 x 15 x 5	1,2 kg
HS-221a	6	25,5 x 18 x 6,3	1,9 kg
HS-221b	8	25,5 x 18 x 6,3	1,9 kg
HS-221c	10	25,5 x 18 x 6,3	1,9 kg
HS-221	12,5	25,5 x 18 x 6,3	1,9 kg
HS-221d	15	25,5 x 18 x 6,3	1,9 kg
HS-221M	22,5	30 x 23 x 6,7	2,4 kg
HS-221X	30	30 x 23 x 6,7	2,4 kg

Voltage 100-240VAC

Power supply 12VDC or 48VDC

Power 0,7W

B rms max. 0,505 uT

Red LED shows that device is switched ON.

Green LED indicates the device is working correctly





HUMITAT-STOP

**WE REMOVE THE ORIGIN OF MOISTURE BY CAPILLARITY
CALL US AT 699 929832
AND WE WILL SOLVE YOUR PROBLEM FOREVER**

SPECIAL OFFER TO PROFESSIONALS



Vía Bellavista, 80 · 08753 PALLEJÀ – BARCELONA
(+34) 93 650 04 68 · 699 92 98 32
info@humitat-stop.com · www.humitat-stop.com

